# NSN 5945-01-319-9924

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-319-9924

## **Overall Length:**

6.750 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

6.250 inches single mounting facility

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.810 inches single mounting facility

## **Overall Height:**

3.750 inches

**Overall Width:** 

2.500 inches

**Contact Material:** 

## Silver

**End Application:** 

#### Thermometers

**Frequency In Hertz:** 

# 60.0

Winding Quantity:

1

Purpose For Which Designed:

General

## **Coil Quantity:**

1

#### **Duty Type:**

Continuous

#### Arc Quenching Method:

Air

## Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility and 2 slotted hole single mounting facility

#### Storage Type:

General purpose warehouse

#### Cubic Measure:

63.281 cubic inches

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action **Time Delay:** 

0.20 seconds adjustable operate time and 180.00 seconds adjustable operate time

## **Operating Voltage Rating And Type At Specificationified Temp:**

230.0 volts ac 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 milliamperes dc inductive load

NSN 5945-01-319-9924

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

575.0 ac and 600.0 dc

## **Precious Material And Location:**

Contacts silver

Precious Material:

Silver

## Terminal Type And Quantity:

6 screw all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300