NSN 5945-01-320-3563

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-320-3563

Overall Length:
1.200 inches
Overall Height:
0.593 inches
Overall Width:
0.826 inches
Case Material:
Plastic
Environmental Protection:
Vibration proof and shock proof
Fragility Factor:
Moderately rugged
Contact Surface Treatment:
Silver plated and gold
End Application:
6625-01-238-2000 multimeter
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
81.0 ohms single winding and 99.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
0.453 cubic inches
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.015 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
5.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes ac resistive load and 2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:

220.0 ac and 220.0 dc

NSN 5945-01-320-3563

Electromagnetic Relay - Page 2 of 2



Precious Material And Location:

Contact surfaces silver and contact surface gold

Precious Material:

Silver and gold

Terminal Type And Quantity:

9 pin all functions

Specification Data:

89536-615575 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300