NSN 5945-01-320-4022

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-320-4022

Overall Length:		

Between 1.055 inches and 1.075 inches

Overall Height:

1.500 inches

Overall Width:

Between 0.605 inches and 0.625 inches

Environmental Protection:

Hermetic

Fragility Factor:

Moderately rugged

End Application:

Thermometers

Winding Quantity:

•

Purpose For Which Designed:

General

Coil Quantity:

-

Winding Dc Resistance Rating:

6.8 kilohms single winding and 8.4 kilohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

1.008 cubic inches

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

0.015 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.5 amperes ac inductive load and 6.0 amperes dc inductive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Test Data Document:

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5945-01-320-4022

Electromagnetic Relay - Page 2 of 2



Terminal Type And Quantity	y
----------------------------	---

8 pin all functions

Specification Data:

81349-mil-r-5757/23 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300