NSN 5945-01-320-9748

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-320-9748

| Overall Length: |
|---|
| 1.437 inches |
| Overall Height: |
| 2.125 inches |
| Overall Width: |
| 1.437 inches |
| Case Material: |
| Metal |
| Environmental Protection: |
| Hermetic |
| Fragility Factor: |
| Moderately rugged |
| Contact Material: |
| Silver |
| End Application: |
| Engine |
| Frequency In Hertz: |
| Between 50.0 and 60.0 |
| Winding Quantity: |
| 1 |
| Purpose For Which Designed: |
| General |
| Coil Quantity: |
| 1 |
| Winding Dc Resistance Rating: |
| 1.9 kilohms single winding and 2.6 kilohms single winding |
| Duty Type: |
| Continuous |
| Arc Quenching Method: |
| Air |
| Mounting Facility Type And Quantity: |
| 1 plug-in terminal single mounting facility |
| Storage Type: |
| General purpose warehouse |
| Cubic Measure: |
| 4.388 cubic inches |
| Nonpile-up Main Contact Arrangement: |
| 3 pole, double throw, one position momentary |
| Time Delay: |
| 0.015 seconds fixed operate time |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 120 0 volts ac 25 degrees celsius single winding |

NSN 5945-01-320-9748

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

240.0 ac and 28.0 dc

Precious Material And Location:

Contacts silver

Precious Material:

Silver

Terminal Type And Quantity:

11 pin all functions

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A03300