NSN 5945-01-322-3886

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-322-3886

Overall Length:
1.000 inches
Overall Height:
1.094 inches
Overall Width:
0.441 inches
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Contact Material:
Gold and silver
Contact Surface Treatment:
Gold
End Application:
Adaptorsetadi
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
1440.0 kilohms single winding and 2000.0 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.01 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
5.0 amperes ac resistive load
Main Contact Maximum Voltage Rating In Volts:
Januar maximum Foliago Rating in Folia.

250.0 ac

NSN 5945-01-322-3886

Electromagnetic Relay - Page 2 of 2



Precious Material And Location: Contacts gold and contacts silver Precious Material: Gold and silver Terminal Type And Quantity: 8 pin all functions Shelf Life: N/a Unit Of Measure: --Demilitarization:

Fiig:

No

A03300