NSN 5945-01-323-5786

Reed Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-323-5786

Overall Length:
0.770 inches
Overall Height:
0.290 inches
Overall Width:
Between 0.290 inches and 0.310 inches
Case Material:
Plastic
Environmental Protection:
Salt spray resistant and dustproof
Fragility Factor:
Moderately rugged
End Application:
An/swg-3b
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
324.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 printed circuit terminal single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
0.006 cubic inches
Nonpile-up Main Contact Arrangement:
1 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
5.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
100.0 dc
Test Data Document:
81349-mil-r-83516 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

8 pin all functions

Terminal Type And Quantity:

NSN 5945-01-323-5786

Reed Relay - Page 2 of 2



Specification Data	Spe	ecifica	ition	Data:
--------------------	-----	---------	-------	-------

81349-mil-r-83516/1 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300