

View Online at <https://aerobasegroup.com/nsn/5945-01-324-9545>

Overall Length:

0.810 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.062 inches single mounting facility and 1.078 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.395 inches single mounting facility and 0.415 inches single mounting facility

Overall Height:

0.810 inches

Overall Width:

0.640 inches

Mounting Slot Width:

0.131 inches single mounting facility and 0.151 inches single mounting facility

Environmental Protection:

Dustproof

Fragility Factor:

Moderately rugged

End Application:

F15e cbil

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

360.0 ohms single winding and 440.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 slotted hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

0.420 cubic inches

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

Time Delay:

0.006 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac lamp load and 1.0 amperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

200.0 ac and 28.0 dc

Terminal Type And Quantity:

14 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300