

View Online at <https://aerobasegroup.com/nsn/5945-01-325-0454>

**Thread Class:**

2a mounting facility bushing

**Thread Direction:**

Right-hand mounting facility bushing

**Body Style:**

Cylindrical frame

**Thread Length:**

0.200 inches power takeoff facility stud and 0.220 inches power takeoff facility stud

**Body Diameter:**

Between 0.480 inches and 0.520 inches

**Body Length:**

Between 1.490 inches and 1.510 inches

**Environmental Protection:**

Dustproof and vibration resistant

**Maximum Operating Temp:**

185.0 degrees fahrenheit

**Actuator Length:**

Between 0.370 inches and 0.390 inches

**Fragility Factor:**

Moderately rugged

**Actuator Diameter:**

Between 0.100 inches and 0.120 inches

**End Application:**

Walleye mk 64

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Duty Type:**

Intermittent

**Terminal Location:**

End opposite actuator

**Voltage Rating In Volts:**

19.0 dc

**Mounting Facility Type And Quantity:**

1 threaded bushing

**Current Rating:**

1.5 amperes

**Storage Type:**

General purpose warehouse

**Cubic Measure:**

0.320 cubic inches

**Thready Qty Per Inch (tpi):**

80 power takeoff facility stud

**Actuator Stroke Type:**

Push

**Linear Force Delivered:**

0.65 pounds

**Power Takeoff Connection Type:**

External threads

**Thread Size:**

0.250 inches mounting facility bushing

**Thread Series Designator:**

Unf mounting facility bushing

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A134a0