# NSN 5945-01-326-5790

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-326-5790

### **Overall Length:**

1.418 inches

**Overall Height:** 

3.171 inches

# **Overall Width:**

1.418 inches

#### **Case Material:**

Plastic

#### **Environmental Protection:**

Dustproof

**Fragility Factor:** 

Moderately rugged

### **End Application:**

Sewage treatment plant, eltech enviro systems corp

#### Frequency In Hertz:

## Between 50.0 and 60.0

Winding Quantity:

#### 2

## **Purpose For Which Designed:**

General

## **Coil Quantity:**

2

# Winding Dc Resistance Rating:

2.0 kilohms all windings and 2.4 kilohms all windings

### **Duty Type:**

Continuous

### Arc Quenching Method:

Air

### Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

### Storage Type:

General purpose warehouse

#### **Features Provided:**

Latching contacts

#### **Cubic Measure:**

6.376 cubic inches

## Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

## Time Delay:

0.03 seconds fixed operate time

## **Operating Voltage Rating And Type At Specificationified Temp:**

120.0 volts ac 25 degrees celsius all windings

# NSN 5945-01-326-5790

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes ac resistive load and 10.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 240.0 ac and 30.0 dc **Energizing Element Power Rating:** 2.2 volts-amperes Terminal Type And Quantity: 11 pin all functions Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A03300