NSN 5945-01-326-5791

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-326-5791

Overall Length:
0.799 inches
Overall Height:
0.406 inches
Overall Width:
0.390 inches
Fragility Factor:
Moderately rugged
Contact Material:
Platinum and silver
Contact Surface Treatment:
Gold
End Application:
0n411089, nsa
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
45.0 ohms single winding and 55.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.01 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
5.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes ac resistive load and 2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
120.0 ap and 20.0 do

120.0 ac and 28.0 dc

Precious Material And Location:

Contact surfaces gold and contacts palladium and contacts silver

NSN 5945-01-326-5791

Electromagnetic Relay - Page 2 of 2



Р	re	ci	OL.	ıs	Ma	ite	ria	Ŀ
•		v.		••				

Gold and palladium and silver

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300