# NSN 5945-01-330-0513

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-330-0513

view Offiline at https://aerobasegroup.com/nsi//0040-01-000-001
Thread Class:
2a single mounting facility
Overall Length:
1.281 inches
Overall Height:
1.156 inches
Overall Width:
0.910 inches
Case Material:
Plastic
Environmental Protection:
Hermetic and dustproof
Fragility Factor:
Moderately rugged
Contact Material:
Gold and silver and nickel
End Application:
Nrsts
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
585.0 ohms single winding and 715.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
1.347 cubic inches
Thready Qty Per Inch (tpi):
48 single mounting facility
Thread Size:
0.099 inches single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Time Delay:

Time Delay

0.06 seconds fixed release time

## NSN 5945-01-330-0513

Electromagnetic Relay - Page 2 of 2



### **Operating Voltage Rating And Type At Specificationified Temp:**

24.0 volts dc 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

120.0 ac and 28.0 dc

#### **Precious Material And Location:**

Contacts gold and contacts silver

**Precious Material:** 

Gold and silver

**Thread Series Designator:** 

Unc single mounting facility

### **Terminal Type And Quantity:**

14 tab, solder lug all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A03300