# NSN 5945-01-331-0501

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-331-0501

Overall	Length:
---------	---------

0.810 inches

# **Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.073 inches single mounting facility and 1.083 inches single mounting facility

**Overall Height:** 

0.410 inches

Overall Width:

0.410 inches

#### **Environmental Protection:**

Dustproof and hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.120 inches single mounting facility

**Fragility Factor:** 

Moderately rugged

**End Application:** 

An/tyq-2 (v) 1

**Winding Quantity:** 

.

# **Purpose For Which Designed:**

General

# **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

162.0 ohms single winding and 198.0 ohms single winding

**Duty Type:** 

Continuous

# **Mounting Facility Type And Quantity:**

2 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

**Cubic Measure:** 

0.136 cubic inches

# **Mounting Facility Pattern:**

In-line single mounting facility

# **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

Time Delay:

0.006 seconds fixed operate time

# **Operating Voltage Rating And Type At Specificationified Temp:**

3.2 volts dc 25 degrees celsius all windings

# Main Contact Load Current Rating At Maximum Rated Voltage:

4.0 amperes dc resistive load

# NSN 5945-01-331-0501

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:	
12.0 dc	
Precious Material And Location:	
Contacts silver	
Precious Material:	
Silver	
Terminal Type And Quantity:	
8 pin all functions	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	

A03300