# NSN 5945-01-332-2619

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-332-2619

#### **Overall Length:**

0.810 inches

**Overall Height:** 

0.640 inches

# **Overall Width:**

0.410 inches

## **Environmental Protection:**

Dustproof

**Fragility Factor:** 

Moderately rugged

#### **End Application:**

Weapons deliv

#### Winding Quantity:

1

## Purpose For Which Designed:

General

## **Coil Quantity:**

1

## Winding Dc Resistance Rating:

657.0 ohms single winding and 803.0 ohms single winding

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

#### Storage Type:

General purpose warehouse

#### Cubic Measure:

0.213 cubic inches

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### Time Delay:

0.004 seconds fixed operate and release time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac lamp load and 1.0 amperes dc lamp load

# Main Contact Maximum Voltage Rating In Volts:

200.0 ac and 28.0 dc

#### **Test Data Document:**

81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

8 pin all functions

# NSN 5945-01-332-2619

Electromagnetic Relay - Page 2 of 2



**Specification Data:** 

81349-mil-r-6106/38 government specification

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

Fiig:

A03300