NSN 5945-01-332-2620

Electromagnetic Relay - Page 1 of 2

Overall Length: 0.810 inches Overall Height:



View Online at https://aerobasegroup.com/nsn/5945-01-332-2620

0.640 inches
Overall Width:
0.810 inches
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
End Application:
Weapons deliv
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
540.0 ohms single winding and 660.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
0.420 cubic inches
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Time Delay:
0.006 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
28.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
1.0 amperes ac lamp load and 1.0 amperes dc lamp load
Main Contact Maximum Voltage Rating In Volts:
200.0 ac and 28.0 dc
Test Data Document:

81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

16 pin all functions

Terminal Type And Quantity:

NSN 5945-01-332-2620

Electromagnetic Relay - Page 2 of 2



Spec	ific	ation	Data:
------	------	-------	-------

81349-mil-r-6106/39 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300