

View Online at <https://aerobasegroup.com/nsn/5945-01-333-1234>

**Thread Class:**

2b single mounting facility

**Thread Direction:**

Right-hand single mounting facility

**Overall Length:**

Between 6.340 inches and 6.460 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.985 inches single mounting facility and 4.015 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.985 inches single mounting facility and 4.015 inches single mounting facility

**Overall Height:**

Between 5.000 inches and 5.120 inches

**Overall Width:**

Between 4.470 inches and 4.590 inches

**Environmental Protection:**

Dustproof

**Fragility Factor:**

Moderately rugged

**End Application:**

Starter motor

**Frequency In Hertz:**

60.0

**Winding Quantity:**

1

**Purpose For Which Designed:**

General

**Coil Quantity:**

1

**Duty Type:**

Continuous

**Arc Quenching Method:**

Air

**Mounting Facility Type And Quantity:**

4 threaded hole single mounting facility

**Storage Type:**

General purpose warehouse

**Cubic Measure:**

151.815 cubic inches

**Thready Qty Per Inch (tpi):**

24 single mounting facility

**Thread Size:**

0.190 inches single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:**

8 pole, single throw, normally open, momentary action

**Operating Voltage Rating And Type At Specificationified Temp:**

440.0 volts ac 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

10.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:**

440.0 ac

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

18 tab w/screw all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300