NSN 5945-01-334-7958

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-334-7958

Width:

Overall Length:
0.810 inches
Center To Center Distance Between Mounting Facilities Parallel To
0.430 inches single mounting facility
Overall Height:
0.810 inches
Overall Width:
0.810 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.080 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Features Provided:
Polarized
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Time Delay:
0.006 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius all windings
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes ac lamp load and 2.0 amperes dc lamp load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Terminal Type And Quantity:
11 pin all functions
Specification Data:
96906-mil-r-6106/24 government specification
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5945-01-334-7958

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300