

View Online at <https://aerobasegroup.com/nsn/5945-01-339-0256>

Overall Length:

Between 25.1 millimeters and 25.7 millimeters

Overall Height:

Between 10.6 millimeters and 11.2 millimeters

Overall Width:

Between 27.64 millimeters and 28.24 millimeters

Environmental Protection:

Hermetic

Fragility Factor:

Moderately rugged

Contact Material:

Gold and nickel and silver

End Application:

Counter, freq

Winding Quantity:

2

Purpose For Which Designed:

General

Coil Quantity:

2

Winding Dc Resistance Rating:

31.3 ohms all windings

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

1 terminal single mounting facility

Storage Type:

General purpose warehouse

Features Provided:

Latching contacts

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

0.01 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

5.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

250.0 ac

Energizing Element Power Rating:

1250.0 volts-amperes

Precious Material And Location:

Contacts gold and contacts silver

Precious Material:

Gold and silver

Terminal Type And Quantity:

10 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300