# NSN 5945-01-339-7248

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-339-7248

Overall I	Length:
-----------	---------

1.280 inches

#### **Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.062 inches single mounting facility and 1.078 inches single mounting facility

**Overall Height:** 

0.410 inches

Overall Width:

0.640 inches

#### **Mounting Slot Width:**

0.133 inches single mounting facility

**Environmental Protection:** 

Dustproof

**Fragility Factor:** 

Moderately rugged

**End Application:** 

4920-01-282-7901 adapter, test

**Winding Quantity:** 

## **Purpose For Which Designed:**

General

**Coil Quantity:** 

1

#### Winding Dc Resistance Rating:

450.0 ohms single winding and 550.0 ohms single winding

**Duty Type:** 

Continuous

## **Mounting Facility Type And Quantity:**

2 slotted hole single mounting facility

Storage Type:

General purpose warehouse

**Cubic Measure:** 

0.336 cubic inches

#### **Mounting Facility Pattern:**

In-line single mounting facility

#### **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

Time Delay:

0.004 seconds fixed operate and release time

# **Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac lamp load and 1.0 amperes dc lamp load

# NSN 5945-01-339-7248

Electromagnetic Relay - Page 2 of 2



# **Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 28.0 dc

**Terminal Type And Quantity:** 

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300