## NSN 5945-01-342-6653

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-342-6653

View Online at https://aerobasegroup.com/nsn/5945-01-342-6653
Overall Length:
2.300 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.910 inches single mounting facility and 1.950 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.830 inches single mounting facility and 1.870 inches single mounting facility
Overall Height:
2.730 inches
Overall Width:
2.300 inches
Fragility Factor:
Moderately rugged
Contact Material:
Silver
End Application:
Bmews site ii
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
83.2 ohms single winding and 124.8 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
14.442 cubic inches
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:

Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac resistive load

24.0 volts dc 25 degrees celsius single winding

## NSN 5945-01-342-6653

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:
277.0 ac
Energizing Element Power Rating:
5.5 watts
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Terminal Type And Quantity:
11 tab, solder lug all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A03300