NSN 5945-01-344-2503

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-344-2503

Overall Length:
1.410 inches
Overall Height:
2.000 inches
Overall Width:
1.410 inches
Environmental Protection:
Dustproof
Fragility Factor:
Moderately rugged
Contact Material:
Silver
End Application:
Lgm30lcfmtrge
Frequency In Hertz:
Between 50.0 and 60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
2.25 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
3.976 cubic inches
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Operating Current Rating And Type:
17.5 milliamperes ac single winding
Time Delay:
0.015 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
120.0 volts ac 25 degrees calcius single winding

120.0 volts ac 25 degrees celsius single winding

NSN 5945-01-344-2503

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes ac resistive load **Main Contact Maximum Voltage Rating In Volts:** 120.0 ac **Energizing Element Power Rating:** 4.0 volts-amperes **Precious Material And Location:** Contacts silver **Precious Material:** Silver **Terminal Type And Quantity:** 11 pin all functions Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A03300