NSN 5945-01-346-7113

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-346-7113

Overall Length:
78.0 millimeters
Center To Center Distance Between Mounting Facilities Parallel To Length:
60.0 millimeters single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
35.0 millimeters single mounting facility
Overall Height:
76.0 millimeters
Overall Width:
45.0 millimeters
Case Material:
Plastic
Environmental Protection:
Dustproof
Unthreaded Mounting Hole Diameter:
5.0 millimeters single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Dep se dig tp
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
266.76 cubic centimeters
Mounting Facility Pattern:
Diagonal single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, both positions maintained and 1 pole, single throw, normally closed, momentary action
Time Delay:
0.015 seconds, fixed operate time and 0.025 seconds, fixed operate time

NSN 5945-01-346-7113

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

16.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

600.0 ac

Terminal Type And Quantity:

10 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300