## NSN 5945-01-347-5808

Reed Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-347-5808

g	
Overall Length:	
Between 3.000 inches and 3.120 inches	
Overall Height:	
Between 0.620 inches and 0.740 inches	
Overall Width:	
0.500 inches	
Case Material:	
Plastic	
Environmental Protection:	
Dustproof	
Fragility Factor:	
Moderately rugged	
Contact Material:	
Copper	
Contact Surface Treatment:	
Tin plated	
End Application:	
6625-01-281-2396 amplifier, radio frequency	
Winding Quantity:	
1	
Purpose For Which Designed:	
General	
Coil Quantity:	
1	
Winding Dc Resistance Rating:	
1.0 kilohms single winding	
Duty Type:	
Continuous	
Mounting Facility Type And Quantity:	
1 plug-in terminal single mounting facility	
Storage Type:	
General purpose warehouse	
Cubic Measure:	
0.930 cubic inches	
Nonpile-up Main Contact Arrangement:	
1 pole, single throw, normally open, momentary action	
Operating Voltage Rating And Type At Specificationified Tem	p
24.0 volts dc 25 degrees celsius single winding	
Main Contact Load Current Rating At Maximum Rated Voltage	e:
3.0 amperes dc resistive load	
Main Contact Maximum Voltage Rating In Volts:	

7500.0 dc

## NSN 5945-01-347-5808

Reed Relay - Page 2 of 2



Energizing Element Power Rating
50.0 watts
Special Features:
High voltage
Terminal Type And Quantity:
4 pin all functions
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No

**Fiig:** A03300