NSN 5945-01-349-9735

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-349-9735

Overall Length:
7.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
6.750 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
4.000 inches single mounting facility
Overall Height:
4.000 inches
Overall Width:
6.000 inches
Case Material:
Metal
Environmental Protection:
Dustproof
Unthreaded Mounting Hole Diameter:
0.250 inches single mounting facility
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
32.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Mounting Facility Pattern:
Rectangular single mounting facility

Time Delay:

0.015 seconds fixed operate time

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

NSN 5945-01-349-9735

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp: 6.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 250.0 ac and 28.0 dc **Energizing Element Power Rating:** 1.2 watts **Special Features:** Special enclosure for fire protection **Precious Material And Location:** Contacts silver **Precious Material:** Silver **Terminal Type And Quantity:** 1 printed circuit all functions Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No Fiig: A03300