NSN 5945-01-349-9735

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-349-9735

Overall Length:

7.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.750 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.000 inches single mounting facility

Overall Height:

4.000 inches

Overall Width:

6.000 inches

Case Material:

Metal

Environmental Protection:

Dustproof

Unthreaded Mounting Hole Diameter:

0.250 inches single mounting facility

Fragility Factor:

Moderately rugged

Contact Material:

Silver

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

32.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

Time Delay:

0.015 seconds fixed operate time

NSN 5945-01-349-9735

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp: 6.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 250.0 ac and 28.0 dc **Energizing Element Power Rating:** 1.2 watts **Special Features:** Special enclosure for fire protection **Precious Material And Location:** Contacts silver **Precious Material:** Silver **Terminal Type And Quantity:** 1 printed circuit all functions Shelf Life: N/a Unit Of Measure: --**Demilitarization:** No Fiig: A03300