

View Online at <https://aerobasegroup.com/nsn/5945-01-354-6634>

Overall Length:

3.650 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.420 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.420 inches single mounting facility

Overall Height:

3.940 inches

Overall Width:

3.650 inches

Environmental Protection:

Dustproof

Unthreaded Mounting Hole Diameter:

0.312 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

163.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, single throw, normally open, double make, momentary action

Time Delay:

0.05 seconds fixed operate time

Nonpile-up Auxiliary Contact Arrangement:

1 pole, single throw, normally open, momentary action

Auxiliary Contact Maximum Voltage Rating In Volts:

28.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

100.0 milliamperes dc resistive load

Terminal Type And Quantity:

4 threaded stud contacts

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A03300