NSN 5945-01-358-1383



Electromagnetic Relay - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5945-01-358-1383 **Overall Length:** 0.810 inches **Overall Height:** 0.640 inches Overall Width: 0.810 inches **End Application:** An/sqq-30 mine classifying set; osprey class mhc; avenger class mcm; f-16 aircraft Winding Quantity: **Coil Quantity: Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 plug-in terminal single mounting facility **Nonpile-up Main Contact Arrangement:** 3 pole, double throw, one position momentary **Criticality Code Justification:** Feat Operating Voltage Rating And Type At Specificationified Temp: 28.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 200.0 milliamperes dc inductive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac **Special Features:** Failure rate level of 0.3 percent per 10, 000 cycles **Test Data Document:** 81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 11 pin all functions **Specification Data:** 81349-mil-r-6106/24 government specification Shelf Life: N/a **Unit Of Measure:**

Fiig: A03300

No

Demilitarization: