NSN 5945-01-364-9190

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-364-9190

Overall Length: 0.275 inches Overall Diameter: 0.370 inches Environmental Protection: Hermetic Fragility Factor: Moderately rugged Contact Material: Gold and platinum
Overall Diameter: 0.370 inches Environmental Protection: Hermetic Fragility Factor: Moderately rugged Contact Material: Gold and platinum
0.370 inches Environmental Protection: Hermetic Fragility Factor: Moderately rugged Contact Material: Gold and platinum
Environmental Protection: Hermetic Fragility Factor: Moderately rugged Contact Material: Gold and platinum
Hermetic Fragility Factor: Moderately rugged Contact Material: Gold and platinum
Fragility Factor: Moderately rugged Contact Material: Gold and platinum
Moderately rugged Contact Material: Gold and platinum
Contact Material: Gold and platinum
Gold and platinum
Contact Confess Treatments
Contact Surface Treatment:
Gold
End Application:
6625-01-285-9218 generator, signal
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
1.56 kilohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
9 terminal single mounting facility
Storage Type:
General purpose warehouse
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
26.5 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
1.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
28.0 dc
Terminal Type And Quantity:
9 wire lead all functions
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5945-01-364-9190

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300