## NSN 5945-01-369-2732

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-369-2732

Overall Length:				
0.900 inches				
Overall Height:				
0.425 inches				
Overall Width:				
0.600 inches				
Environmental Protection:				
Dustproof				
Fragility Factor:				
Moderately rugged				
Contact Material:				
Silver				
Contact Surface Treatment:				
Gold				
End Application:				
Valve, timing				
Winding Quantity:				
1				
Purpose For Which Designed:				
General				
Coil Quantity:				
1				
Winding Dc Resistance Rating:				
35.0 ohms single winding				
Duty Type:				
Continuous				
Arc Quenching Method:				
Air				
Mounting Facility Type And Quantity:				
8 terminal single mounting facility				
Storage Type:				
General purpose warehouse				
Nonpile-up Main Contact Arrangement:				
2 pole, double throw, one position momentary				
Operating Voltage Rating And Type At Specificationified Temp:				
5.0 volts dc 25 degrees celsius single winding				
Main Contact Load Current Rating At Maximum Rated Voltage:				
$500.0 \ \mbox{milliamperes}$ ac resistive load and 1.0 amperes dc resistive load				
Main Contact Maximum Voltage Rating In Volts:				
28 0 dc				

**Energizing Element Power Rating:** 1.3 watts

## NSN 5945-01-369-2732

Electromagnetic Relay - Page 2 of 2



Precious	Material	<b>And</b>	Location:

Contacts silver and contact surfaces gold

**Precious Material:** 

Silver and gold

**Terminal Type And Quantity:** 

8 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300