NSN 5945-01-371-2556

Electromagnetic Relay - Page 1 of 2

Overall Length:



View Online at https://aerobasegroup.com/nsn/5945-01-371-2556

0.375 inches
Overall Height:
0.300 inches
Overall Width:
0.375 inches
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
End Application:
4935-01-136-0233
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
390.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
8 terminal single mounting facility
Storage Type:
General purpose warehouse
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Criticality Code Justification:
Feat
Time Delay:
0.002 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
12.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
100.0 milliamperes dc lamp load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc

Test Data Document:

Failure rate: 0.1 percent per 10, 000 cycles

Special Features:

81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5945-01-371-2556

Electromagnetic Relay - Page 2 of 2



Terminal	Type	And (Quantity:
----------	------	-------	-----------

8 wire lead all functions

Specification Data:

81349-mil-r-39016/17 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300