# NSN 5945-01-374-2892

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-374-2892

**Overall Length:** 

0.810 inches

**Overall Height:** 

0.617 inches

**Overall Width:** 

0.410 inches

**Case Material:** 

Metal

Environmental Protection:

Hermetic

**Fragility Factor:** 

Moderately rugged

**Contact Material:** 

Silver

Contact Surface Treatment:

Gold

**End Application:** 

4920-01-339-9447

Winding Quantity:

1

**Purpose For Which Designed:** 

General

**Coil Quantity:** 

1

Winding Dc Resistance Rating:

450.0 ohms single winding and 550.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

Storage Type:

General purpose warehouse

**Features Provided:** 

Coil voltage suppression

Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Time Delay:

0.002 seconds fixed operate and release time

## Operating Voltage Rating And Type At Specificationified Temp:

12.0 volts dc 25 degrees celsius single winding

## NSN 5945-01-374-2892

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 milliamperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

500.0 dc

## **Precious Material And Location:**

Contacts silver and contact surfaces gold

#### Precious Material:

Silver and gold

#### **Terminal Type And Quantity:**

8 pin all functions

Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A03300