

View Online at <https://aerobasegroup.com/nsn/5945-01-376-0827>

**Thread Class:**

2b single mounting facility

**Thread Length:**

0.500 inches single mounting facility

**Overall Length:**

3.090 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.230 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.840 inches single mounting facility

**Overall Height:**

3.440 inches

**Overall Width:**

2.660 inches

**End Application:**

5895-01-310-2545

**Frequency In Hertz:**

50.0 or 400.0

**Winding Quantity:**

2

**Purpose For Which Designed:**

Specific

**Coil Quantity:**

2

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

4 threaded hole single mounting facility

**Thread Size:**

0.164 inches single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:**

2 pole, single throw, normally closed, momentary action

**Operating Voltage Rating And Type At Specificationified Temp:**

120.0 volts ac 25 degrees celsius second winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

10.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

28.0 dc

**Test Data Document:**

80063-a3102126 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

8 screw all functions

**Specification Data:**

80063-a3102126 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300