NSN 5945-01-384-9550

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-384-9550 **Overall Length:** 0.370 inches **Overall Height:** 0.398 inches **Overall Width:** 0.370 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 2.0 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 5 terminal single mounting facility **Nonpile-up Main Contact Arrangement:** 1 pole, double throw, one position momentary **Criticality Code Justification:** Feat **Operating Voltage Rating And Type At Specificationified Temp:** 26.5 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 100.0 milliamperes dc lamp load Main Contact Maximum Voltage Rating In Volts: 115.0 ac and 28.0 dc **Special Features:** Failure rate: 3.0 percent per 10, 000 cycles; spreader pad **Test Data Document:** 81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 5 pin all functions **Specification Data:**

Demilitarization: No

Unit Of Measure:

Shelf Life:

N/a

81349-mil-r-39016/7 government specification

NSN 5945-01-384-9550

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300