## NSN 5945-01-384-9550

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-384-9550

**Overall Length:** 

0.370 inches

**Overall Height:** 

0.398 inches

**Overall Width:** 

0.370 inches

**Environmental Protection:** 

Hermetic

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

2.0 kilohms single winding

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

5 terminal single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

## Criticality Code Justification:

Feat

#### **Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 milliamperes dc lamp load

#### Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

#### **Special Features:**

Failure rate: 3.0 percent per 10, 000 cycles; spreader pad

#### **Test Data Document:**

81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## Terminal Type And Quantity:

5 pin all functions

**Specification Data:** 

81349-mil-r-39016/7 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

# NSN 5945-01-384-9550

Electromagnetic Relay - Page 2 of 2

**Fiig:** A03300

