## NSN 5945-01-393-7186

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-393-7186 **Overall Length:** 0.795 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.062 inches single mounting facility **Center To Center Distance Between Mounting Facilities Parallel To Width:** 0.281 inches single mounting facility **Overall Height:** 0.900 inches **Overall Width:** 0.590 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches single mounting facility Frequency In Hertz: 60.0 Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 550.0 ohms single winding **Duty Type:** Intermittent **Mounting Facility Type And Quantity:** 4 unthreaded hole single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Operating Voltage Rating And Type At Specificationified Temp: 24.0 volts ac 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes ac resistive load and 2.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 120.0 ac and 30.0 dc **Terminal Type And Quantity:** 8 wire lead all functions Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5945-01-393-7186

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300