NSN 5945-01-400-1984

Electromagnetic Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-01-400-1984 **Overall Length:** 0.280 inches **Overall Diameter:** 0.370 inches **Environmental Protection:** Cold resistant and heat resistant and shock resistant and vibration resistant Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 2.0 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 5 plug-in terminal single mounting facility **Features Provided:** Coil voltage suppression and magnetic shield **Operating Voltage Rating And Type At Specificationified Temp:** 26.5 volts dc 25 degrees celsius all windings **Minimum Differential Electrical Operating Rating:** 14.2 volts Main Contact Load Current Rating At Maximum Rated Voltage: 0.250 milliamperes ac resistive load and 1.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac and 28.0 dc **Special Features:** Lead length is 1.5 in. Mim **Test Data Document:** 81349-mil-r-39016e specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 5 wire lead all functions **Specification Data:** 81349--39016/23-018p government specification Shelf Life: N/a **Unit Of Measure:**

Fiig: A03300

No

Demilitarization: