

View Online at <https://aerobasegroup.com/nsn/5945-01-400-1984>

**Overall Length:**

0.280 inches

**Overall Diameter:**

0.370 inches

**Environmental Protection:**

Cold resistant and heat resistant and shock resistant and vibration resistant

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

2.0 kilohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

5 plug-in terminal single mounting facility

**Features Provided:**

Coil voltage suppression and magnetic shield

**Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius all windings

**Minimum Differential Electrical Operating Rating:**

14.2 volts

**Main Contact Load Current Rating At Maximum Rated Voltage:**

0.250 milliamperes ac resistive load and 1.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 28.0 dc

**Special Features:**

Lead length is 1.5 in. Mim

**Test Data Document:**

81349-mil-r-39016e specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

5 wire lead all functions

**Specification Data:**

81349--39016/23-018p government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300