NSN 5945-01-400-1984

Electromagnetic Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-01-400-1984

Overall Length:

0.280 inches

Overall Diameter:

0.370 inches

Environmental Protection:

Cold resistant and heat resistant and shock resistant and vibration resistant

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

2.0 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

5 plug-in terminal single mounting facility

Features Provided:

Coil voltage suppression and magnetic shield

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius all windings

Minimum Differential Electrical Operating Rating:

14.2 volts

Main Contact Load Current Rating At Maximum Rated Voltage:

0.250 milliamperes ac resistive load and 1.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Special Features:

Lead length is 1.5 in. Mim

Test Data Document:

81349-mil-r-39016e specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

5 wire lead all functions

Specification Data:

81349--39016/23-018p government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300