NSN 5945-01-407-0032

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-407-0032
Overall Length:
1.280 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.063 inches single mounting facility and 1.078 inches single mounting facility
Overall Height:
0.410 inches
Overall Width:
0.640 inches
Mounting Slot Width:
0.133 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
125.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
12.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes ac motor load and 2.0 amperes dc motor load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Test Data Document:
81349-mil-r-83536 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
8 wire hook all functions
Specification Data:
8134983536/1 government specification
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5945-01-407-0032

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300