NSN 5945-01-411-0605

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-411-0605

Overall Length:				
0.280 inches				
Overall Diameter:				
0.370 inches				
Case Material:				
Metal				
Environmental Protection:				
Hermetic				
Fragility Factor:				
Moderately rugged				
Winding Quantity:				
2				
Purpose For Which Designed:				
General				
Coil Quantity:				
2				
Winding Dc Resistance Rating:				
1130.0 ohms all windings				
Duty Type:				
Continuous				
Arc Quenching Method:				
Air				
Mounting Facility Type And Quantity:				
1 terminal single mounting facility				
Storage Type:				
General purpose warehouse				
Features Provided:				
Polarized and coil voltage suppression and latching contacts				
Nonpile-up Main Contact Arrangement:				
2 pole, double throw, one position momentary				
Time Delay:				
0.002 seconds fixed operate time				
Operating Voltage Rating And Type At Specificationified Temp:				
18.0 volts dc 25 degrees celsius all windings				
Main Contact Load Current Rating At Maximum Rated Voltage:				
_				
100.0 milliamperes de lamp load				
Main Contact Maximum Voltage Rating In Volts:				
115.0 ac and 28.0 dc				
Special Features:				
Failure rate level 3.0 percent				
Terminal Type And Quantity:				

10 wire lead all functions

NSN 5945-01-411-0605

Electromagnetic Relay - Page 2 of 2



Spec	ific	ation	Data:
------	------	-------	-------

81349-mil-r-39016/29 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300