NSN 5945-01-412-6861

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-412-6861 **Overall Length:** 1.875 inches **Overall Height:** 0.375 inches **Overall Diameter:** 0.370 inches Frequency In Hertz: 60.0 or 400.0 Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 1.6 kilohms first winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 8 terminal single mounting facility **Features Provided:** Coil voltage suppression **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.0075 seconds fixed release time Operating Voltage Rating And Type At Specificationified Temp: 28.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac **Test Data Document:** 81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 8 wire lead all functions **Specification Data:** 81349-mil-r-39016/16 government specification Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 5945-01-412-6861

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300