NSN 5945-01-413-2822

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-413-2822

View Online at https://aerobasegroup.com/nsn/5945-01-413-2822
Overall Length:
1.320 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.062 inches single mounting facility and 1.078 inches single mounting facility
Overall Height:
0.410 inches
Overall Width:
0.410 inches
Unthreaded Mounting Hole Diameter:
0.118 inches single mounting facility and 0.122 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
75.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
6.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Test Data Document:
81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
8 wire hook all functions
Specification Data:
8134939016/44-010 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A03300

NSN 5945-01-413-2822

Electromagnetic Relay - Page 2 of 2



Mil-std (military Standard):

Mil-prf-39016 spec.