## NSN 5945-01-419-2884

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-419-2884 **Overall Length:** 0.375 inches **Overall Height:** 0.280 inches **Overall Width:** 0.375 inches **Environmental Protection:** Vibration resistant and hermetic **End Application:** Pacer dawn Frequency In Hertz: 60.0 Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 880.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 plug-in terminal single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 1.0 amperes dc single winding Operating Voltage Rating And Type At Specificationified Temp: 10.5 volts dc 25 degrees celsius single winding and 13.5 volts dc 125 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 28.0 dc **Special Features:** Failure rate level m equals 1.0 per 10, 000cycles **Terminal Type And Quantity:** 8 wire lead all functions Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## **NSN 5945-01-419-2884** Electromagnetic Relay - Page 2 of 2



Fiig:

A03300