

View Online at <https://aerobasegroup.com/nsn/5945-01-437-6240>

Overall Length:

92.964 millimeters

Center To Center Distance Between Mounting Facilities Parallel To Length:

76.200 millimeters first mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

31.750 millimeters first mounting facility

Overall Height:

91.546 millimeters

Overall Width:

55.372 millimeters

Case Material:

Steel, corrosion resisting

Environmental Protection:

Hermetic and heat resistant and shock resistant and vibration resistant

Unthreaded Mounting Hole Diameter:

5.130 millimeters first mounting facility and 5.384 millimeters first mounting facility

End Application:

An/fps-117, radar set

Frequency In Hertz:

54.7 or 65.5

Mounting Facility Type And Quantity:

1 electrical plug connector second mounting facility

Mounting Facility Pattern:

Rectangular first mounting facility

Time Delay:

4.00 seconds fixed operate time

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Special Features:

Manuf.Name, power monitor; used to sense line voltage, frequency and phase sequence of three phase y power lines under voltage pickup line to neutral 105 vrms + - 2 percent, overvoltage drop out line to neutral 135 vrms + - 2percent

Terminal Type And Quantity:

1 connector, plug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300