

View Online at <https://aerobasegroup.com/nsn/5945-01-445-9271>

**Overall Length:**

1.320 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.068 inches single mounting facility and 1.088 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.190 inches single mounting facility and 0.210 inches single mounting facility

**Overall Height:**

0.900 inches

**Overall Width:**

0.810 inches

**Environmental Protection:**

Shock proof and vibration proof

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

0.410 inches single mounting facility

**End Application:**

Satcom iii

**Frequency In Hertz:**

Between 60.0 and 400.0

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

65.0 ohms all windings and 85.0 ohms all windings

**Mounting Facility Type And Quantity:**

2 threaded stud single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

25.0 volts ac 25 degrees celsius all windings

**Minimum Differential Electrical Operating Rating:**

66.0 volts

**Main Contact Maximum Voltage Rating In Volts:**

115.0 ac

**Special Features:**

Temperature -65 celius and +125 celius

**Terminal Type And Quantity:**

4 pin all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300