# NSN 5945-01-449-6216

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-449-6216

# **Overall Length:**

1.415 inches

# **Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.190 inches single mounting facility and 1.210 inches single mounting facility

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.390 inches single mounting facility and 0.410 inches single mounting facility

#### **Overall Height:**

1.000 inches

#### **Overall Width:**

0.610 inches

#### **Environmental Protection:**

Dustproof and hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.091 inches single mounting facility and 0.101 inches single mounting facility

#### **Fragility Factor:**

Moderately rugged

# **Winding Quantity:**

•

# **Purpose For Which Designed:**

General

# **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

105.3 ohms single winding and 128.7 ohms single winding

# **Duty Type:**

Continuous

# **Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

#### Storage Type:

General purpose warehouse

# **Mounting Facility Pattern:**

Rectangular single mounting facility

# Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

# Time Delay:

0.008 seconds fixed operate and release time

# Operating Voltage Rating And Type At Specificationified Temp:

12.0 volts dc 25 degrees celsius single winding

# Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

### **Terminal Type And Quantity:**

14 pin all functions

# NSN 5945-01-449-6216

Electromagnetic Relay - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A03300