NSN 5945-01-474-3274

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-474-3274

view Offilitie at https://defobasegroup.com/nsi//0340-01-4/4-02/4
Overall Length:
5.440 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.875 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.312 inches single mounting facility
Overall Height:
3.380 inches
Overall Width:
2.880 inches
Unthreaded Mounting Hole Diameter:
0.190 inches single mounting facility and 0.205 inches single mounting facility
End Application:
Turbo trainer, pc-7
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Auxiliary Contact Arrangement:
1 pole, double throw, one position momentary
Auxiliary Contact Maximum Voltage Rating In Volts:
28.0 dc
Operating Voltage Rating And Type At Specificationified Temp:
28.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
200.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
28.0 dc
Auxiliary Contact Load Current Rating At Maximum Rated Voltage:
5.0 amperes dc resistive load
Terminal Type And Quantity:
9 threaded stud all functions
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5945-01-474-3274

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300