NSN 5945-01-484-0550

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-484-0550 **Overall Length:** 0.610 inches **Overall Height:** 0.320 inches Overall Width: 0.610 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity: Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 printed circuit terminal single mounting facility **Features Provided:** Coil voltage suppression and polarized **Nonpile-up Main Contact Arrangement:** 4 pole, double throw, one position momentary Operating Voltage Rating And Type At Specificationified Temp: 6.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes dc resistive load and 125.0 milliamperes ac resistive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac and 28.0 dc **Special Features:** 1% failure rate **Test Data Document:** 81349-mil-prf-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 14 wire lead all functions **Specification Data:** 81349-mil-prf-39016/54-002m government specification Shelf Life: N/a **Unit Of Measure:**

A03300

No Fiig:

Demilitarization:

NSN 5945-01-484-0550

Electromagnetic Relay - Page 2 of 2



Mil-std (military Standard):

Mil-prf-39016 spec.