

View Online at <https://aerobasegroup.com/nsn/5945-01-491-7495>

Overall Length:

0.815 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.2000 inches single mounting facility

Overall Height:

1.271 inches

Overall Width:

0.410 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.121 inches single mounting facility

Frequency In Hertz:

Between 60.0 and 400.0

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

8000.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load and 0.3 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Test Data Document:

81349-mil-prf-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

8 wire hook all functions

Specification Data:

81349-mil-prfm-5757/13 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300

Mil-std (military Standard):

Mil-prf-5757 spec.