

View Online at <https://aerobasegroup.com/nsn/5945-01-500-0568>

Overall Length:

2.688 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility

Overall Height:

3.156 inches

Overall Width:

2.312 inches

Unthreaded Mounting Hole Diameter:

0.172 inches single mounting facility

End Application:

Mep810a/b

Frequency In Hertz:

50.0 or 60.0

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac

Special Features:

Ename on mfg data is phase sequence relay; relay remains deenergized when applied three phase voltage is in proper sequence and is energized when applied three phase voltage is in incorrect sequence

Terminal Type And Quantity:

6 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300