# NSN 5945-01-501-2923

Electromagnetic Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-01-501-2923

# **Overall Length:**

20.6 millimeters

# Center To Center Distance Between Mounting Facilities Parallel To Length:

27.0 millimeters single mounting facility and 27.4 millimeters single mounting facility

# Center To Center Distance Between Mounting Facilities Parallel To Width:

12.7 millimeters single mounting facility

## **Overall Height:**

16.3 millimeters

## **Overall Width:**

20.6 millimeters

## **Environmental Protection:**

Corrosion resistant and hermetic

## **Unthreaded Mounting Hole Diameter:**

3.4 millimeters single mounting facility

## **Contact Surface Treatment:**

Tin plated

## Frequency In Hertz:

400.0

# Mounting Facility Type And Quantity:

3 unthreaded hole single mounting facility

# Mounting Facility Pattern:

Triangle single mounting facility

## **Operating Current Rating And Type:**

5.0 amperes dc second winding and 5.0 amperes ac second winding

# Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 125 degrees celsius second winding and 115.0 volts ac 125 degrees celsius second winding

## **Terminal Type And Quantity:**

14 pin energizing element

#### Shelf Life:

N/a

## Unit Of Measure:

--

# Demilitarization:

No

## Fiig:

A03300